

Grades as of December 16, 2024.

Attendance grades are complete. The CogLab grade is complete.

All exam grades are complete.

Some students did not take an exam, but have not dropped the class. They have a blank for those missed exams.

CogLab ID	Class Grade	Letter Grade	Exam 1 %	Adjusted Exam 1 %	Exam 2 %	Adjusted Exam 2	Exam 3%	Exam 4%	Checked box on Exam 4	Final	Check box on Final	Attendance (Max 39 points)	Attendance %	CogLab %
Francis200F24-2	77.43	C	71	71	65	65	81	89	0	71	0	30	90.9	78.57
Francis200F24-3	66.24	D	78	78	43	43	74	67	0	60	0	15	45.5	89.29
Francis200F24-4	54.06	F	59	58.5	31	31	59	58	1		0	32	97.0	89.29
Francis200F24-8	76.04	C	64	64	64	64	73	79	0	71	0	35	100.0	89.29
Francis200F24-9	89.13	B+	80	87.5	87	87	81	95	1	77	0	35	100.0	100.00
Francis200F24-10	87.69	B	75	82.5	90	90	84	90	1	75	0	33	100.0	96.43
Francis200F24-12	88.47	B+	81	86.5	88	89.5	87	92	1	91	1	27	81.8	89.29
Francis200F24-13	84.35	B	75	83.5	77	77	85	92	1	76	0	34	100.0	82.14
Francis200F24-14	77.66	C	46	67	65	69.5	74	88	1	74	1	35	100.0	78.57
Francis200F24-15	82.34	B-	81	81	72	74	83	79	0	76	1	37	100.0	89.29
Francis200F24-16	93.46	A	84	91	88	88	90	98	1	93	0	36	100.0	96.43
Francis200F24-17	61.56	D-	61	61	75	75	75	75	0		0	28	84.8	67.86
Francis200F24-18	94.07	A	84	91.5	85	89	90	99	1	93	1	32	97.0	100.00
Francis200F24-19	87.10	B	67	80.5	56	70.5	84	94	1	85	1	35	100.0	100.00
Francis200F24-20	94.90	A	87	92	89	89	96	97	1	92	0	34	100.0	100.00
Francis200F24-21	62.32	D-	91	91	82	82	84		0	69	0	16	48.5	57.14
Francis200F24-23	78.35	C+	47	64.5	76	76	85	82	1	66	0	34	100.0	82.14
Francis200F24-24	73.92	C	73	72	51	56	75	71	1	61	1	26	86.7	100.00
Francis200F24-26	50.62	F	72	72	35	35	50	47	0	55	0	30	90.9	17.86
Francis200F24-29	56.71	F	71	71	27	39	47	59	0	51	1	32	97.0	46.43
Francis200F24-30	70.57	C-	71	71	45	48.5	71	72	0	52	1	34	100.0	89.29
Francis200F24-31	82.76	B-	66	77	73	74.5	91	88	1	76	1	34	100.0	78.57
Francis200F24-32	41.92	F	57	57	34	34	58		0		0	31	93.9	67.86
Francis200F24-33	65.38	D	42	54	43	54.5	77	66	1	66	1	25	75.8	67.86
Francis200F24-34	86.52	B	84	84	75	79	85	97	0	83	1	38	100.0	82.14
Francis200F24-35	72.66	C-	62	67	63	64	64	72	1	65	1	34	100.0	85.71
Francis200F24-36	92.58	A-	74	84.5	88	88	95	95	1	88	1	36	100.0	100.00
Francis200F24-37	89.88	B+	79	86.5	85	85	86	94	1	81	0	35	100.0	100.00
Francis200F24-38	84.00	B	71	81.5	67	67	82	92	1	78	0	37	100.0	92.86
Francis200F24-39	86.63	B	83	88	66	76	75	93	1	86	1	34	100.0	92.86
Francis200F24-40	84.78	B	66	77.5	74	74	87	89	1	71	0	39	100.0	100.00
Francis200F24-41	31.12	F	61	61	55	55			0		0	17	51.5	57.14
Francis200F24-42	74.39	C	72	72	58	58	76	85	0	81	0	26	78.8	71.43
Francis200F24-43	88.20	B+	81	81	69	79.5	93	85	0	90	1	36	100.0	92.86
Francis200F24-44	88.44	B+	54	72.5	92	92	85	91	1	86	0	37	100.0	96.43
Francis200F24-45	75.44	C	54	67	65	65	61	80	1	74	0	34	100.0	89.29
Francis200F24-46	85.19	B	85	85	81	81	86	82	0	78	0	35	100.0	89.29
Francis200F24-47	85.28	B	86	86	86	86	90	89	0	83	0	35	100.0	67.86
Francis200F24-48	91.75	A-	89	89	82	82	94	95	0	85	0	33	100.0	100.00
Francis200F24-49	56.31	F	75	75	32	32	76	54	0		0	19	57.6	100.00
Francis200F24-50	48.54	F	66	66	66	66	65		0		0	22	66.7	82.14
Francis200F24-51	97.00	A	94	94	96	96	99	98	0	93	0	36	100.0	100.00
Francis200F24-52	80.88	B-	67	77.5	59	59	82	88	1	66	0	34	100.0	100.00
Francis200F24-53	89.78	B+	89	89	90	90	84	95	0	83	0	32	97.0	92.86
Francis200F24-54	70.68	C-	52	52	61	59.5	54	81	0	58	1	35	100.0	100.00
Francis200F24-55	74.20	C	59	67.5	41	55.5	59	76	1	70	1	34	100.0	100.00
Francis200F24-56	90.70	A-	87	87	82	84	87	94	0	86	1	36	100.0	100.00
Francis200F24-57	89.35	B+	80	86	72	79	86	92	1	86	1	37	100.0	100.00
Francis200F24-58	86.84	B	85	85	74	74	87	93	0	84	0	38	100.0	89.29
Francis200F24-59	78.60	C+	87	87	71	71	84	89	0	77	0	15	45.5	85.71
Francis200F24-60	84.33	B	83	83	72	79.5	75	96	0	87	1	34	100.0	75.00
Francis200F24-61	74.10	C	61	69.5	46	46	73	78	1	68	0	36	100.0	92.86
Francis200F24-63	82.25	B-	85	85	80	80	82	85	0	66	0	32	97.0	85.71
Francis200F24-64	88.29	B+	88	88	77	77	87.5	91	0	82	0	36	100.0	96.43
Francis200F24-66	64.60	D	66	57.5	33	45.5	54	49	1	58	1	34	100.0	100.00
Francis200F24-67	83.18	B	62	77	72	72	83	92	1	71	0	34	100.0	92.86
Francis200F24-68	70.93	C-	68	73	41	51.5	58	78	1	62	1	32	97.0	85.71
Francis200F24-69	85.25	B	81	85.5	55	71	86	90	1	87	1	33	100.0	82.14
Francis200F24-70	83.99	B	68	77	75	78	82	86	1	81	1	37	100.0	89.29
Francis200F24-71	21.39	F	38	38	22	22			0		0	2	6.1	78.57
Francis200F24-72	85.68	B	74	80	71	75.5	83	86	1	80	1	36	100.0	100.00
Francis200F24-73	91.75	A-	84	84	80	80	93	96	0	92	0	38	100.0	100.00
Francis200F24-74	87.99	B	73	84.5	83	84	74	96	1	85	1	34	100.0	96.43
Francis200F24-75	81.91	B-	71	71	62	70	87	77	0	78	1	37	100.0	96.43
Francis200F24-76	65.84	D	56	56	53	53	55	60	0	59	0	35	100.0	89.29
Francis200F24-77	91.57	A-	87	92	76	82.5	94	97	1	89	1	34	100.0	89.29
Francis200F24-79	85.65	B	77	84.5	70	73	86	92	1	76	1	35	100.0	92.86
Francis200F24-80	92.80	A-	88	88	90	90	88	95	0	91	0	36	100.0	100.00
Francis200F24-81	82.55	B-	77	83	77	74.5	83	89	1	72	1	35	100.0	82.14
Francis200F24-82	79.51	C+	59	76.5	40	54.5	79	94	1	69	1	30	90.9	96.43
Francis200F24-83	86.75	B	75	83.5	73	78	93	92	1	83	1	35	100.0	82.14
Francis200F24-84	66.39	D	47	57.5	26	38	66	68	1	50	1	34	100.0	96.43
Francis200F24-85	87.24	B	83	83	70	76.5	86	90	0	83	1	37	100.0	96.43
Francis200F24-86	92.35	A-	88	92	81	84	90	96	1	87	1	37	100.0	100.00
Francis200F24-87	68.46	D+	69	69	44	47	75	63	0	50	1	34	100.0	85.71
Francis200F24-88	81.30	B-	69	77	64	67.5	82	85	1	71	1	38	100.0	92.86
Francis200F24-89	72.72	C-	61	73	59	59	71	85	1	73	0	33	100.0	57.14
Francis200F24-90	79.75	C+	72	72	61	67	67	86	0	73	1	35	100.0	100.00
Francis200F24-91	92.08	A-	91	92.5	90	90	89	94	1	96	0	35	100.0	85.71
Francis200F24-92	71.17	C-	53	53	51	57.5	67	77	0	64	1	36	100.0	89.29
Francis200F24-94	79.96	C+	71	76	61	61	77	81	1	77	0	32	97.0	96.43
Francis200F24-95	86.91	B	82	82	79	79	91	92	0	83	0	36	100.0	85.71
Francis200F24-97	81.54	B-	87	87	71	74.5	75	91	0	78	1	33	100.0	71.43
Francis200F24-98	76.57	C	83	88.5	36	36	83	94	1	78	0	33	100.0	64.29

CogLab ID	Class Grade	Letter Grade	Exam1 %	Adjusted Exam 1%	Exam 2 %	Adjusted Exam 2	Exam 3%	Exam 4%	Checked box on Exam 4	Final	Check box on Final	Attendance (Max 39 points)	Attendance %	CogLab %
Francis200F24-99	87.18	B	66	75.5	75	75	92	85	1	87	0	38	100.0	100.00
Francis200F24-100	40.10	F	57	57	57	57	48		0		0	15	45.5	75.00
Francis200F24-101	78.60	C+	48	69	46	58.5	78	90	1	71	1	32	97.0	92.86
Francis200F24-102	84.01	B	51	71	81	81	86	91	1	68	0	36	100.0	96.43
Francis200F24-103	82.57	B-	73	83.5	74	77	85	94	1	80	1	34	100.0	64.29
Francis200F24-104	88.91	B+	82	89	85	88.5	82	96	1	92	1	34	100.0	78.57
Francis200F24-105	84.40	B	87	87	67	67	76	90	0	76	0	39	100.0	100.00
Francis200F24-106	94.23	A	91	93.5	95	95	85	96	1	92	0	36	100.0	100.00
Francis200F24-107	56.22	F	87	87	68	68	82		0		0	24	72.7	89.29
Francis200F24-108	89.09	B+	84	88	81	81	93	92	1	84	0	34	100.0	89.29
Francis200F24-109	45.08	F	31	35.5	24	30.5	28	40	1	37	1	27	81.8	75.00
Francis200F24-110	84.94	B	75	86	66	72.5	89	97	1	79	1	30	90.9	82.14
Francis200F24-112	66.23	D	47	57	43	46	63	67	1	49	1	34	100.0	92.86
Francis200F24-114	82.74	B-	68	79.5	64	68	78	91	1	72	1	34	100.0	96.43
Francis200F24-115	78.65	C+	74	78	69	72.5	67	82	1	76	1	35	100.0	82.14
Francis200F24-116	92.03	A-	86	86	92	92	92	94	0	90	0	38	100.0	92.86
Francis200F24-117	66.38	D	43	55	44	52	49	67	1	60	1	36	100.0	92.86
Francis200F24-118	81.99	B-	74	74	68	75.5	77	76	0	83	1	32	97.0	96.43
Francis200F24-119	28.26	F	46	46	34	34	27		0		0	12	36.4	57.14
Francis200F24-120	90.89	A-	81	89	90	90	82	97	1	92	0	36	100.0	89.29
Francis200F24-121	86.59	B	89	89	81	81	84	91	0	87	0	34	100.0	78.57
Francis200F24-122	30.48	F	57	57	42	42			0		0	18	54.5	67.86
Francis200F24-123	79.65	C+	61	73.5	59	65	76	86	1	71	1	34	100.0	92.86
Francis200F24-124	77.92	C	71	71	71	76.5	81	78	0	82	1	36	100.0	64.29
Francis200F24-126	80.37	B-	83	83	75	75	88	72	0	76	0	26	78.8	89.29
Francis200F24-127	82.34	B-	74	74	73	73	73	87	0	86	0	35	100.0	89.29
Francis200F24-128	58.86	F	39	45	48	48	69	51	1	59	0	26	78.8	67.86
Francis200F24-129	75.25	C	76	85	54	54	69	94	1	60	0	32	97.0	75.00
Francis200F24-130	81.61	B-	51	71	60	72	88	91	1	84	1	33	100.0	71.43
Francis200F24-131	89.39	B+	75	85	84	84	92	95	1	84	1	35	100.0	89.29
Francis200F24-132	90.82	A-	81	87.5	84	87	91	94	1	90	1	37	100.0	89.29
Francis200F24-133	81.73	B-	80	83.5	85	78.5	76	87	1	72	1	29	87.9	89.29
Francis200F24-134	74.46	C	68	76	40	52	68	84	1	64	1	34	100.0	85.71
Francis200F24-135	72.96	C-	55	72	47	56	52	89	1	65	1	34	100.0	85.71
Francis200F24-136	80.78	B-	75	75	76	76	79	83	0	66	0	33	100.0	92.86
Francis200F24-137	77.78	C	60	72.5	43	57.5	72	85	1	72	1	38	100.0	92.86
Francis200F24-138	36.03	F	73	73	63	63			0		0	18	54.5	67.86
Francis200F24-139	81.05	B-	93	93	77	78.5	95	84	0	80	1	19	57.6	71.43
Francis200F24-140	86.04	B	76	79.5	78	78	80	83	1	90	0	33	100.0	96.43
Francis200F24-141	84.69	B	61	73.5	73	73	88	86	1	81	0	34	100.0	96.43
Francis200F24-142	70.94	C-	63	68	32	48	68	73	1	64	1	31	93.9	89.29
Francis200F24-143	90.31	A-	83	87	84	87	84	91	1	90	1	37	100.0	96.43
Francis200F24-144	66.96	D	49	63.5	45	51	70	78	1	57	1	31	93.9	64.29
Francis200F24-146	86.99	B	80	87.5	82	80.5	82	95	1	79	1	36	100.0	89.29
Francis200F24-147	92.48	A-	98	98	85	85	92	96	0	88	0	32	97.0	92.86
Francis200F24-148	90.53	A-	79	85	88	88	93	91	1	87	0	38	100.0	92.86
Francis200F24-149	77.28	C	62	73.5	60	64.5	84	85	1	69	1	30	90.9	78.57
Francis200F24-150	87.90	B	93	93	65	77.5	80	86	0	90	1	33	100.0	92.86
Francis200F24-151	87.20	B	53	75	78	82.5	91	97	1	87	1	34	100.0	82.14
Francis200F24-152	72.37	C-	63	63	54	63	68	86	0	72	1	31	93.9	67.86
Francis200F24-153	71.80	C-	54	54	39	52	63	78	0	65	1	34	100.0	100.00
Francis200F24-154	71.71	C-	56	56	63	67	72	83	0	71	1	25	75.8	78.57
Francis200F24-155	73.41	C	75	75	71	71	85	90	0	69	0	5	15.2	89.29
Francis200F24-156	80.86	B-	69	69	83	83	80	93	0	76	0	34	100.0	71.43
Francis200F24-157	83.45	B	71	77.5	81	82	86	84	1	83	1	27	81.8	89.29
Francis200F24-158	31.66	F	75	75	69	69			0		0	12	36.4	42.86
Francis200F24-159	94.15	A	84	90.5	93	91.5	92	97	1	90	1	37	100.0	100.00
Francis200F24-161	82.86	B-	65	77	76	76	87	89	1	71	0	35	100.0	85.71
Francis200F24-162	91.96	A-	81	81	94	94	81	98	0	96	0	37	100.0	96.43
Francis200F24-163	89.34	B+	77	85	87	87	89	93	1	83	0	29	87.9	100.00
Francis200F24-164	85.24	B	76	82.5	64	73.5	95	89	1	83	1	35	100.0	78.57
Francis200F24-165	94.21	A	85	92	90	90	94	99	1	90	0	38	100.0	96.43
Francis200F24-168	88.87	B+	84	91.5	68	78	80	99	1	88	1	36	100.0	89.29
Francis200F24-169	76.65	C	69	69	54	60.5	85	70	0	67	1	36	100.0	92.86
Francis200F24-170	67.49	D	75	76.5	47	55.5	63	78	1	64	1	17	51.5	78.57
Francis200F24-171	79.04	C+	76	76	58	58	70	89	0	78	0	33	100.0	89.29
Francis200F24-172	86.04	B	71	81.5	89	89	84	92	1	89	1	35	100.0	71.43
Francis200F24-175	72.26	C-	67	65	57	63	81	63	1	69	1	29	87.9	82.14
Francis200F24-176	76.20	C	46	63.5	62	62	72	81	1	70	0	34	100.0	92.86
Francis200F24-177	71.24	C-	47	58	58	58	73	69	1	61	0	33	100.0	89.29
Francis200F24-180	87.90	B	82	89.5	80	82	74	97	1	84	1	36	100.0	92.86
Francis200F24-181	85.76	B	87	87	59	72.5	90	91	0	86	1	35	100.0	78.57
Francis200F24-182	43.68	F	50	50	52	52	53		0		0	25	75.8	85.71
Francis200F24-183	82.96	B-	75	81.5	82	85	79	88	1	88	1	28	84.8	75.00
Francis200F24-184	91.68	A-	76	85.5	82	85	91	95	1	88	1	38	100.0	100.00
Francis200F24-186	92.76	A-	94	94	85	85	96	99	0	92	0	34	100.0	85.71
Francis200F24-187	36.95	F	50	50	46	46	59		0		0	24	72.7	42.86
Francis200F24-188	71.26	C-	75	75	69	69	68	75	1	56	0	30	90.9	71.43
Francis200F24-190	93.06	A	85	90	97	97	95	95	1	91	0	35	100.0	85.71
Francis200F24-191	45.01	F	52	52	57	57	60		0		0	26	78.8	78.57
Francis200F24-192	92.00	A-	84	90.5	94	93	92	97	1	92	1	36	100.0	82.14
Francis200F24-193	87.67	B	73	83	72	77.5	92	93	1	83	1	37	100.0	89.29
Francis200F24-194	78.43	C+	74	78	83	83	80.5	82	1	74	0	32	97.0	60.71
Francis200F24-195	62.19	D-	46	67	51	61.5	79	88	1	72	1	18	54.5	10.71
Francis200F24-196	80.73	B-	55	70	64	70	70.5	85	1	76	1	34	100.0	100.00
Francis200F24-197	84.35	B	79	86	78	78.5	77	93	1	79	1	36	100.0	82.14
Francis200F24-198	86.86	B	69	82	80	85	91	95	1	90	1	32	97.0	71.43
Francis200F24-200	38.32	F	29	29	22	29	31	39	0	36	1	17	51.5	57.14

CogLab ID	Class Grade	Letter Grade	Exam 1 %	Adjusted Exam 1 %	Exam 2 %	Adjusted Exam 2	Exam 3 %	Exam 4 %	Checked box on Exam 4	Final	Check box on Final	Attendance (Max 39 points)	Attendance %	CogLab %
Francis200F24-201	20.63	F	57	57	15	15			0		0	13	39.4	39.29
Francis200F24-202	76.24	C	79	79	68	72.5	66	92	0	77	1	32	97.0	57.14
Francis200F24-203	88.02	B+	92	92	91	91	87	91	0	79	0	32	97.0	82.14
Francis200F24-204	88.41	B+	76	87	92	92	76	98	1	84	0	35	100.0	85.71
Francis200F24-205	68.46	D+	75	75		33.5	61	68	0	67	1	31	93.9	89.29
Francis200F24-206	71.09	C-	52	67	57	64	59	82	1	71	1	34	100.0	64.29
Francis200F24-207	85.12	B	76	84	65	71.5	86	92	1	78	1	34	100.0	89.29
Francis200F24-208	95.35	A	91	91	95	95	95	99	0	89	0	33	100.0	100.00
Francis200F24-209	69.07	D+	73	73	51	59	79	54	0	67	1	30	90.9	67.86
Francis200F24-210	31.63	F	37	37	32	32	26		0		0	22	66.7	71.43
Francis200F24-211	77.54	C	43	67	60	66	65	91	1	72	1	36	100.0	89.29
Francis200F24-212	66.02	D	45	57.5	39	58.5	75	70	1	78	1	20	60.6	60.71
Francis200F24-214	69.66	D+	49	60	46	54	65	71	1	62	1	33	100.0	85.71
Francis200F24-215	35.04	F	43	43	35	35	52		0		0	23	69.7	57.14
Francis200F24-216	15.73	F	37	37	17	17	33		0		0	0	0.0	17.86
Francis200F24-217	82.80	B-	53	73.5	66	71	78	94	1	76	1	37	100.0	92.86
Francis200F24-221	64.01	D	49	49	54	54	73	84	0	65	0	15	45.5	71.43
Francis200F24-222	53.01	F	62	62	42	49.5	54	45	0	57	1	16	48.5	53.57
Francis200F24-223	74.11	C	69	69	34	48	72	82	0	62	1	32	97.0	96.43
Francis200F24-224	65.57	D	44	55	37	47	75	66	1	57	1	29	87.9	78.57
Francis200F24-225	54.91	F	36	46.5	20	36.5	44	57	1	53	1	25	75.8	78.57
Francis200F24-226	70.80	C-	45	69	46	56	58	93	1	66	1	29	87.9	71.43
Francis200F24-227	75.73	C	63	70.5	47	60	71	78	1	73	1	36	100.0	85.71
Francis200F24-229	65.81	D	51	68	32	43.5	72	85	1	55	1	27	81.8	60.71
Francis200F24-231	21.48	F	43	43	28	28			0		0	11	33.3	50.00
Francis200F24-232	85.64	B	75	85.5	75	80.5	92	96	1	86	1	33	100.0	64.29

CogLab ID	Class Grade	Letter Grade	Exam 1 %	Adjusted Exam 1 %	Exam 2 %	Adjusted Exam 2	Exam 3 %	Exam 4 %	Checked box on Exam 4	Final	Check box on Final	Attendance (Max 39 points)	Attendance %	CogLab %
Mean	75.76		69.33	74.77	64.68	67.92	77.00	84.77		75.85			90.34	83.41
Standard deviation	16.89		15.05	13.79	19.30	17.65	14.22	12.55		11.97			19.08	16.00
Max	97.00		98.00	98.00	97.00	97.00	99.00	99.00		96.00			100.00	100.00
Min	15.73		29.00	29.00	15.00	15.00	26.00	39.00		36.00			0.00	10.71
A	27		10	20	17	17	35	84		24				
B	77		49	66	37	39	65	50		51				
C	47		53	53	37	52	46	23		52				
D	20		34	27	35	27	21	11		32				
F	27		52	32	71	63	24	11		18				